

BUDDY® CONDUIT RODDERS AND FISH TAPES

FOR WIRE AND CABLE INSTALLATION



JAMESON HAS A BUDDY® TO HANDLE THE JOB FOR YOU.

Since 1980, Jameson's Buddy® System of rodders and fish tapes has evolved to become the most comprehensive in the industry.

EZ-REEL™

Pre-loaded replacement reels provide safe and efficient replacement of damaged rod material.



BUDDY® CONDUIT RODDERS

FOR CABLE INSTALLATION



COMPARISON CHART CHOOSE THE BEST BUDDY® CONDUIT RODDER FOR YOUR JOB



	Easy Buddy®	Good Buddy®	Good Buddy® III	Good Buddy® II	Big Buddy®	Mega Buddy®
Features	Flexible rod handles tight turns and medium length runs. Taller handle and wide wheel base for easy transport.	Detach or fold frame for entry into confined areas. Reel can be set-up vertically or horizontally.	Same diameter and lengths as Good Buddy, but with fixed frame and wide wheel base for easy transport.	Larger frame and reel for longer rod capacity. All terrain wheels optional.	Stiffest rod for long runs in larger conduit. All terrain wheels optional.	Longest length available for large conduit. All terrain wheels standard.
Rod Diameter	1/4" (6.3mm)	3/8" (9.5mm)		1/2" (12.7mm)		
Lengths Available	300–500' (91.4–152m)	300–400' (91.4–121.9m)		400–1,000** (121.9–182.9m)	400–1,000' (121.9–304.8m)	1,500' (457.2m)
Recommended Conduit	1-2" (27–53mm)	2-4" (53–103mm)		4" or Larger (103mm)		
Min. Bend Radius	4" (101.6mm)	7" (177.8mm)		10" (254mm)		
Pull Strength	400 Lbs. (181kg)	1,000 Lbs. (452.5kg)		1,000 Lbs (452.5kg)		
Accessory Kit	Included 6-14-AK	Included 9-25-AK		Included 11-38-RK		
Dimensions	36.25" x 24.0" x 13" (92.1 x 61 x 33 cm)	29.0" x 29.0" x 27.0" (73.7 x 73.7 x 68.6 cm)	34.0" x 26.5" x 15.5" (86.4 x 67.3 x 39.4 cm)	40.0" x 32.0" x 18.0" (106 x 81.3 x 45.7 cm)	48" x 44" x 21" (121.9 x 111.8 x 53.3 cm)	48" x 44" x 27" (121.9 x 111.8 x 68.6 cm)
Weights	28 - 35 lbs. (12.7 - 15.9 kg)	55 - 62 lbs. (24.9 - 28.1 kg)	55 - 62 lbs. (24.9 - 28.1 kg)	71 - 137 lbs. (32.2 - 62.1 kg)	120 - 204 lbs. (54.4 - 92.5 kg)	278 lbs. (126.1 kg)
End Ferrule	5/16"– 18 Male	3/8"– 16 Male		3/8"– 16 Male		

*1,000-ft model is built on Big Buddy frame



CONDUIT RODDERS FEATURES

- Non-conductive fiberglass rod core with orange polymer jacket
- Exceptional bending strength
- All rodders include pulling eye and accessory/repair kit
- All rodders are marked in 5' increments (*1m metric marked available*)

NEW EZ-REEL™

New Jameson pre-loaded replacement reel improve the speed and safety of swapping out damaged conduit rod.




EASY BUDDY®

SIZE	PART NO.	REPLACEMENT REELS
300' X 1/4"	6-14-300M	6-300RRM
400' X 1/4"	6-14-400M	6-400RRM
500' X 1/4"	6-14-500M	6-500RRM




GOOD BUDDY®

SIZE	PART NO.	REPLACEMENT REELS
300' X 3/8"	9-25-300M	9-300RRM
400' X 3/8"	9-25-400M	9-400RRM



GOOD BUDDY® III


SIZE	PART NO.	REPLACEMENT REELS
300' X 3/8"	9A-25-300M	9-300RRM
400' X 3/8"	9A-25-400M	9-400RRM



GOOD BUDDY® II


SIZE	PART NO.	REPLACEMENT REELS
400' X 3/8"	11A-25-400M	11A-400RRM
500' X 3/8"	11A-25-500M	11A-500RRM
600' X 3/8"	11A-25-600M	11A-600RRM
1000' X 3/8"	11A-25-1000M	11-25-1000RRM

(Built on Big Buddy frame)



BIG BUDDY®

SIZE	PART NO.	REPLACEMENT REELS
400' X 1/2"	11-38-400M	11-400RRM
500' X 1/2"	11-38-500M	11-500RRM
600' X 1/2"	11-38-600M	11-600RRM
800' X 1/2"	11-38-800M	11-800RRM
1,000' X 1/2"	11-38-1000M	11-1000RRM



MEGA BUDDY®

SIZE	PART NO.	REPLACEMENT REEL
1,500' X 1/2"	11-38-1500M	11-1500RRM

*ALL PRODUCT NUMBERS END IN "M". TO ORDER METRIC MARKED ROD, ADD AN ADDITIONAL "M" TO PART NUMBER WHEN ORDERING. (EXAMPLE, 6-14-300M WOULD BE 6-14-300MM)

BUDDY® FISH TAPES


FOR WIRE AND CABLE INSTALLATION



COMPARISON CHART CHOOSE THE BEST BUDDY® FISH TAPE FOR YOUR JOB



	Wee Buddy®		Little Buddy®	Microduct Fisher™		
	w/ Accessory Kit	w/o Accessory Kit	On Stand	Handheld	With Handle	On Stand
Features	Round rod flexes in all directions and slides easily over wires. Easy-grip canister. Smooth, non-binding payout and return. Convenient snap-on accessory kit.		Operates vertically or horizontally. Feed eye and drag brake control payout.	Low profile pulling eye is permanently mounted. Moves smoothly in microduct as small as 6mm.		
Rod Diameter	1/8" (3.2mm)		3/16" (4.8mm)	1/8" (3.2 mm)		
Lengths Available	50-150' (15.2–45.7m)		150-300' (45.7–91.4m)	160'/350' (50.3/106.7m)		
Recommended Conduit	Conduit As Small As 1/2" (16mm)		3/4"–1-1/2" (21–41mm)	Microduct As Small As 6 mm		
Bend Radius	1.5" (38.1mm)		2.5" (63.5mm)	1.5" (38.1mm)		
Pull Strength	200 Lbs. (90.5 kg)		300 Lbs (135.7kg)	200 Lbs (90.5 kg)		
Accessory Kits	Included 8-18-AK	N/A	Included 10-316-AK	N/A		
Dimensions	12.5" x 2.0" (31.8 x 5.1 cm)		22" x 17" x 7" (55.9 x 43.2 x 17.8 cm)	12.5" x 2.0" (31.8 x 5.1 cm)	20" x 17" x 10.3" (50.8 x 43.2 x 26.2 cm)	22" x 17" x 7" (55.9 x 43.2 x 17.8 cm)
Weights	2.3 - 3.0 lbs. (1.0 - 1.4 kg)		12.6 - 15.5 lbs. (5.7 - 7.0 kg)	2.4 lbs. (1.1 kg)	10 lbs. (4.5 kg)	11 lbs. (5.0 kg)
End Ferrule	#10-32 Male		#12-24 Male	N/A		



WEE BUDDY® & LITTLE BUDDY® FEATURES

Jameson fish tapes feature a round, flexible rod that slides easily over wires in occupied conduit, offering exceptional bending strength for maneuvering tight turns.

- Non-conductive fiberglass rod core with orange polymer jacket
- Smooth, round rod installs easily in empty or occupied conduit
- Round rod bends in all directions, unlike flat steel fish tapes

NEW EZ-REEL™

New Jameson pre-loaded replacement reel improve the speed and safety of swapping out damaged conduit rod.



WEE BUDDY® NO KIT

SIZE	PART NO.
50' X 1/8"	8-18-50
100' X 1/8"	8-18-100
150' X 1/8"	8-18-150



WEE BUDDY® WITH KIT

SIZE	PART NO.
50' X 1/8"	8-18-50K
100' X 1/8"	8-18-100K
150' X 1/8"	8-18-150K



LITTLE BUDDY®

SIZE	PART NO.	REPLACEMENT REEL
150' X 3/16"	10-316-150	10-150RR
200' X 3/16"	10-316-200	10-200RR
250' X 3/16"	10-316-250	10-250RR
300' X 3/16"	10-316-300	10-300RR

MICRODUCT FISHER™ FEATURES

- Low profile pulling eye is permanently attached
- Fish microduct as small as 6mm



MICRODUCT FISHER HANDHELD

SIZE	PART NO.
165' X 1/8"	8-18-165MDR



MICRODUCT FISHER II WITH HANDLE

SIZE	PART NO.	REPLACEMENT REEL
350' X 1/8"	10-18-350MDR	10-350RR-MDR



MICRODUCT FISHER II ON STAND

SIZE	PART NO.	REPLACEMENT REEL
350' X 1/8"	10-18-350MDRS	10-350RR-MDR

BUDDY® ACCESSORIES

MAKING IT EASIER TO FISH & PULL CABLE



Rodder Accessories



Accessories	Description	Easy Buddy 1/4" DIA.	Good Buddy Good Buddy II Good Buddy III 3/8" DIA.	Big Buddy Mega Buddy 1/2" DIA.
Accessory Kit	Canvas Pouch - Pulling Eye, Splice Ferrule, End Ferrule, Adhesive and Emery Cloth	6-14-AK		
Accessory Kit	Canvas Pouch - Swivel Pulling Eye, Splice Ferrule, End Ferrule, Adhesive and Emery Cloth		9-25-AK	
Repair Kit	Canvas Pouch - Splice Ferrule (2), End Ferrule, Adhesive, and Emery Cloth			11-38-RK
Fixed Pulling Eye	Attach pull line or pulling grip to rod	6-160		
Swivel Pulling Eye	Attach pull line or pulling grip to rod	6-139	9-139	11-139
Shackle Fitting	Use with Swivel Pulling Eye 11-139 to provide larger pulling loop		11-142	11-142
Roller Guide	Guide rod through bends, sweeps and misalignments	6-141	9-141	11-141
Flexible Spring Leader	Guide rod through bends, sweeps, and misalignments	6-162		
Flexible Fiberglass Stinger Tip	Guide rod through bends, sweeps, and misalignments		9-25-12ST (12" Tip) 9-25-24ST (24" Tip)	11-25-6ST (6' Tip) 11-25-8ST (8' Tip)
Swivel Coupling	Connect two rods for added length; provides rotation when pulling line, rope, or wire	6-143	9-143	11-143
Rod Grapples	Connect two rodders from opposite directions	6-148	9-148	11-148
Splice Repair Kit	Splice Ferrule, Adhesive, and Emery Cloth	6-140	9-140	11-140
End Ferrule Repair Kit	End Ferrule, Adhesive, and Emery Cloth	6-146	9-146	11-146
All-Terrain Wheel Kit	Replacement All-Terrain Wheel Kit (2 wheels/axle)		11A-AWK (GB II Only)	11-AWK

Fish Tape Accessories




Accessories	Description	Wee Buddy	1/8" DIA.	Little Buddy	3/16" DIA.	Microduct Fisher	1/8" DIA.
Wee Buddy Accessory Kit	Plastic Case, Flexible Leaders (2), Pulling Eye (2), Splice Ferrule (2), End Ferrule (2), Adhesive and Emery Cloth	8-18-AK					
Little Buddy Accessory Kit	Flexible Leaders (2), Pulling Eye (2), Splice Ferrule, End Ferrule (2), Adhesive and Emery Cloth			10-316-AK			
Fixed Pulling Eye	Attach pull line or pulling grip to rod	8-160		10-160			
Flexible Leader w/Sm. Tip	Guide rod through bends, sweeps, and misalignments	8-163					
Flexible Leader w/Lg. Tip	Guide rod through bends, sweeps, and misalignments	8-162		10-163			
Flexible Leader w/Eyelet	Guide rod through bends, sweeps, and misalignments			10-162			
Pulling Eye Repair Kit	Pulling Eye, Adhesive, and Emery Cloth					8-146MDR	
Splice Repair Kit	Splice Ferrule, Adhesive, and Emery Cloth	8-140		10-140		8-140MDR	
End Ferrule Repair Kit	End Ferrule, Adhesive, and Emery Cloth	8-146		10-146			

NEW EZ-REEL™

Jameson Buddy® Conduit Rodders and Fish Tapes are the most durable in the market, but we know job sites can be extremely tough.

Using our repair kits, customers are often able to splice rod or repair end-fittings to keep their rodders in service.

However, on occasion it may be necessary to replace the entire spool of rod due to more severe damage. Removal, disposal and rod replacement can be a difficult and time-consuming task. Responding to customer feedback, Jameson introduced EZ-REEL™ pre-loaded replacement reels which help improve speed and safety of replacing damaged rod material.



6-400RRM

10-200RR

PRE-LOADED REPLACEMENT ROD ON REEL

	PART NO.	REPLACEMENT REELS	SIZE (MARKED 5')
CONDUIT RODDERS	6-300RRM	Easy Buddy®	1/4" x 300 ft.
	6-400RRM	Easy Buddy®	1/4" x 400 ft.
	6-500RRM	Easy Buddy®	1/4" x 500 ft.
	9-300RRM	Good Buddy® and Good Buddy® III	3/8" x 300 ft.
	9-400RRM	Good Buddy® and Good Buddy® III	3/8" x 400 ft.
	11A-400RRM	Good Buddy® II	3/8" x 400 ft.
	11A-500RRM	Good Buddy® II	3/8" x 500 ft.
	11A-600RRM	Good Buddy® II	3/8" x 600 ft.
	11-400RRM	Big Buddy®	1/2" x 400 ft.
	11-500RRM	Big Buddy®	1/2" x 500 ft.
	11-600RRM	Big Buddy®	1/2" x 600 ft.
	11-800RRM	Big Buddy®	1/2" x 800 ft.
11-1000RRM	Big Buddy®	1/2" x 1000 ft.	
11-1500RRM	Mega Buddy®	1/2" x 1500 ft.	
FISH TAPES	10-350RR-MDR	Microduct Fisher II	1/8" x 350 ft.
	10-150RR	Little Buddy®	3/16" x 150 ft.
	10-200RR	Little Buddy®	3/16" x 200 ft.
	10-250RR	Little Buddy®	3/16" x 250 ft.
	10-300RR	Little Buddy®	3/16" x 300 ft.

NON-CONDUCTIVE FIBERGLASS CONDUIT RODDERS FOR LONG DISTANCE CABLE RUNS

Since 1980, Jameson's Buddy® System of rodders and fish tapes has evolved to become the most comprehensive in the industry.

Whether installing short run electrical wire or running long distance copper or fiber optic cable, Jameson has a Buddy® to handle the job for you.



**1451 OLD NORTH MAIN STREET
CLOVER, SC 29710**

800-346-1956

JAMESONLLC.COM